

REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Reporting Currency: N/A

Currency Units: N/A

Special Instructions

Firms who do not operate a dedicated interface should respond 'Yes' to Question 1 and submit a nil return.

For the reporting period between 1 July 2022 and 30 Sep 2022 – The SCA-RTS requires quarterly statistics to be published from 14 September 2019. Therefore for this reporting period, firms are only required to provide us with statistics between 14 September 2019 and 30 September 2019. These statistics for each PSU and dedicated interface must be entered in Days 76 to 92 and firms must enter 0 for all earlier days in the quarter (Days 1 to 75) except Uptime (%) which should be entered as 100.00.

For all subsequent reporting periods - The statistics must be entered from Day 1 and any surplus days at the end of the quarter (for example, Quarter 1 only contains 90 Days, and Quarter 2 contains 91 Days) can be left blank.

Percentage figures are to be provided to two decimal places, and milliseconds are to be provided as a whole number.

Multiple interface tables must be completed in Question 2 for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website. To add additional interface tables, please select the 'Number of interfaces to add' from the bottom of the form, then select 'Add'.

1 Do you wish to make a nil return? **A**

2 **Daily statistics**
This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

	Interface Name/Id		Interface type		Has exemption been granted for dedicated interface?	
	A		B		C	
	KH PSD2 216754		Dedicated interface		no	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	0	71	201	0	0.00
2	100.00	0.00	0	80	150	0	0.00
3	100.00	0.00	0	83	215	0	0.00
4	100.00	0.00	0	83	135	0	0.00
5	100.00	0.00	0	97	225	0	0.00
6	100.00	0.00	0	77	158	0	0.00
7	100.00	0.00	0	77	206	0	0.00
8	100.00	0.00	0	94	141	0	0.00
9	100.00	0.00	0	86	204	0	0.00
10	100.00	0.00	0	101	192	0	0.00
11	100.00	0.00	0	100	196	0	0.00
12	100.00	0.00	0	78	172	0	0.00
13	100.00	0.00	0	93	200	0	0.00
14	100.00	0.00	0	92	177	0	0.00
15	100.00	0.00	0	91	129	0	0.00
16	100.00	0.00	0	90	183	0	0.00
17	100.00	0.00	0	95	196	0	0.00
18	100.00	0.00	0	103	154	0	0.00
19	100.00	0.00	0	76	143	0	0.00
20	100.00	0.00	0	79	195	0	0.00
21	100.00	0.00	0	93	171	0	0.00
22	100.00	0.00	0	86	243	0	0.00
23	100.00	0.00	0	89	208	0	0.00
24	100.00	0.00	0	95	241	0	0.00
25	100.00	0.00	0	79	219	0	0.00
26	100.00	0.00	0	98	192	0	0.00
27	100.00	0.00	0	109	195	0	0.00
28	100.00	0.00	0	98	130	0	0.00
29	100.00	0.00	0	95	182	0	0.00
30	100.00	0.00	0	83	219	0	0.00
31	100.00	0.00	0	96	163	0	0.00
32	100.00	0.00	0	84	146	0	0.00
33	100.00	0.00	0	86	172	0	0.00
34	100.00	0.00	0	82	155	0	0.00
35	100.00	0.00	0	75	172	0	0.00
36	100.00	0.00	0	206	180	0	0.00
37	8.33	91.67	0	98	337	0	0.00
38	0.00	100.00	0	84	160	0	0.00
39	60.42	39.58	0	101	551	0	0.00
40	100.00	0.00	0	84	270	0	0.00
41	100.00	0.00	0	73	139	0	0.00
42	100.00	0.00	0	137	132	0	0.00
43	100.00	0.00	0	138	127	0	0.00
44	100.00	0.00	0	138	114	0	0.00
45	100.00	0.00	0	128	125	0	0.00
46	100.00	0.00	0	122	134	0	0.00
47	100.00	0.00	0	134	133	0	0.00
48	100.00	0.00	0	128	116	0	0.00
49	100.00	0.00	0	139	115	0	0.00
50	81.25	18.75	0	129	149	0	0.00
51	100.00	0.00	0	128	121	0	0.00
52	100.00	0.00	0	133	130	0	0.00
53	100.00	0.00	0	149	175	0	0.00
54	100.00	0.00	0	140	132	0	0.00
55	100.00	0.00	0	151	149	0	0.00
56	100.00	0.00	0	134	152	0	0.00
57	100.00	0.00	0	146	128	0	0.00
58	100.00	0.00	0	123	115	0	0.00
59	100.00	0.00	0	146	114	0	0.00
60	100.00	0.00	0	149	138	0	0.00
61	100.00	0.00	0	131	129	0	0.00
62	100.00	0.00	0	142	113	0	0.00
63	100.00	0.00	0	131	125	0	0.00
64	100.00	0.00	0	131	133	0	0.00
65	100.00	0.00	0	138	137	0	0.00
66	100.00	0.00	0	147	117	0	0.00
67	100.00	0.00	0	130	136	0	0.00
68	100.00	0.00	0	125	115	0	0.00
69	100.00	0.00	0	144	125	0	0.00
70	97.92	2.08	0	141	142	0	0.00
71	100.00	0.00	0	127	249	0	0.00
72	100.00	0.00	0	127	124	0	0.00
73	100.00	0.00	0	135	130	0	0.00

74	100.00	0.00	0	138	133	0	0.00
75	100.00	0.00	0	128	137	0	0.00
76	100.00	0.00	0	127	127	0	0.00
77	100.00	0.00	0	143	124	0	0.00
78	100.00	0.00	0	201	152	0	0.00
79	91.67	8.33	0	162	175	0	0.00
80	100.00	0.00	0	146	128	0	0.00
81	100.00	0.00	0	126	114	0	0.00
82	100.00	0.00	0	139	136	0	0.00
83	100.00	0.00	0	140	126	0	0.00
84	100.00	0.00	0	133	127	0	0.00
85	100.00	0.00	0	171	209	0	0.00
86	100.00	0.00	0	136	118	0	0.00
87	100.00	0.00	0	125	111	0	0.00
88	100.00	0.00	0	135	144	0	0.00
89	100.00	0.00	0	124	116	0	0.00
90	100.00	0.00	0	121	120	0	0.00
91	100.00	0.00	0	140	130	0	0.00
92	100.00	0.00	0	128	133	0	0.00

