

REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Reporting Currency: N/A

Currency Units: N/A

Special Instructions

Firms who do not operate a dedicated interface should respond 'Yes' to Question 1 and submit a nil return.

For the reporting period between 1 JAN 2022 and 31 March 2022 – The SCA-RTS requires quarterly statistics to be published from 14 September 2019. Therefore for this reporting period, firms are only required to provide us with statistics between 14 September 2019 and 30 September 2019. These statistics for each PSU and dedicated interface must be entered in Days 76 to 92 and firms must enter 0 for all earlier days in the quarter (Days 1 to 75) except Uptime (%) which should be entered as 100.00.

For all subsequent reporting periods - The statistics must be entered from Day 1 and any surplus days at the end of the quarter (for example, Quarter 1 only contains 90 Days, and Quarter 2 contains 91 Days) can be left blank.

Percentage figures are to be provided to two decimal places, and milliseconds are to be provided as a whole number.

Multiple interface tables must be completed in Question 2 for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website. To add additional interface tables, please select the 'Number of interfaces to add' from the bottom of the form, then select 'Add'.

1 Do you wish to make a nil return? **A**

2 Daily statistics

This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?
	A	B	C	
	VEGA EBANKING 184825		PSU interface	no

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	270				
2	100.00	0.00	279				
3	100.00	0.00	286				
4	100.00	0.00	260				
5	100.00	0.00	354				
6	100.00	0.00	438				
7	100.00	0.00	305				
8	100.00	0.00	218				
9	100.00	0.00	183				
10	100.00	0.00	243				
11	100.00	0.00	302				
12	100.00	0.00	274				
13	100.00	0.00	312				
14	100.00	0.00	354				
15	100.00	0.00	266				
16	100.00	0.00	391				
17	100.00	0.00	342				
18	100.00	0.00	341				
19	100.00	0.00	402				
20	100.00	0.00	327				
21	100.00	0.00	333				
22	100.00	0.00	306				
23	100.00	0.00	191				
24	100.00	0.00	249				
25	97.92	2.08	234				
26	100.00	0.00	214				
27	100.00	0.00	229				
28	100.00	0.00	224				
29	100.00	0.00	198				
30	100.00	0.00	182				
31	100.00	0.00	271				
32	100.00	0.00	207				
33	100.00	0.00	333				
34	100.00	0.00	205				
35	100.00	0.00	179				
36	100.00	0.00	181				
37	100.00	0.00	260				
38	100.00	0.00	227				
39	100.00	0.00	202				
40	100.00	0.00	278				
41	100.00	0.00	250				
42	100.00	0.00	215				
43	100.00	0.00	211				
44	100.00	0.00	319				
45	100.00	0.00	229				
46	100.00	0.00	232				
47	100.00	0.00	255				
48	100.00	0.00	178				
49	100.00	0.00	193				
50	100.00	0.00	216				
51	100.00	0.00	199				
52	100.00	0.00	194				
53	100.00	0.00	296				
54	100.00	0.00	301				
55	100.00	0.00	236				
56	100.00	0.00	258				
57	100.00	0.00	238				
58	100.00	0.00	190				
59	100.00	0.00	237				
60	100.00	0.00	197				
61	100.00	0.00	258				
62	100.00	0.00	267				
63	100.00	0.00	353				
64	100.00	0.00	190				
65	100.00	0.00	199				

66	100.00	0.00	272				
67	100.00	0.00	175				
68	100.00	0.00	356				
69	100.00	0.00	244				
70	100.00	0.00	313				
71	100.00	0.00	215				
72	100.00	0.00	251				
73	100.00	0.00	275				
74	100.00	0.00	184				
75	100.00	0.00	326				
76	100.00	0.00	316				
77	100.00	0.00	369				
78	100.00	0.00	242				
79	100.00	0.00	181				
80	100.00	0.00	341				
81	100.00	0.00	258				
82	100.00	0.00	275				
83	100.00	0.00	371				
84	100.00	0.00	227				
85	100.00	0.00	282				
86	100.00	0.00	301				
87	100.00	0.00	193				
88	91.67	8.33	278				
89	100.00	0.00	248				
90	97.92	2.08	187				





