

**REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces**

Reporting Currency: N/A

Currency Units: N/A

**Special Instructions**

Firms who do not operate a dedicated interface should respond 'Yes' to Question 1 and submit a nil return.

**For the reporting period between 1 April 2024 and 30 June 2024** – The SCA-RTS requires quarterly statistics to be published from 14 September 2019. Therefore for this reporting period, firms are only required to provide us with statistics between 14 September 2019 and 30 September 2019. These statistics for each PSU and dedicated interface must be entered in Days 76 to 92 and firms must enter 0 for all earlier days in the quarter (Days 1 to 75) except Uptime (%) which should be entered as 100.00.

**For all subsequent reporting periods** - The statistics must be entered from Day 1 and any surplus days at the end of the quarter (for example, Quarter 1 only contains 90 Days, and Quarter 2 contains 91 Days) can be left blank.

Percentage figures are to be provided to two decimal places, and milliseconds are to be provided as a whole number.

Multiple interface tables must be completed in Question 2 for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website. To add additional interface tables, please select the 'Number of interfaces to add' from the bottom of the form, then select 'Add'.

1 Do you wish to make a nil return?  **A**

**2 Daily statistics**

*This section must be completed for each payment service user interface and dedicated interface for which the firm has published the daily statistics on its website.*

Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
A		B	C			
VEGA EBANKING 184825		PSU interface	no			

  

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	94				
2	100.00	0.00	94				
3	100.00	0.00	96				
4	100.00	0.00	90				
5	100.00	0.00	94				
6	98.75	1.25	123				
7	100.00	0.00	119				
8	100.00	0.00	94				
9	100.00	0.00	96				
10	100.00	0.00	105				
11	100.00	0.00	89				
12	100.00	0.00	92				
13	100.00	0.00	96				
14	100.00	0.00	100				
15	100.00	0.00	99				
16	100.00	0.00	100				
17	100.00	0.00	101				
18	100.00	0.00	105				
19	100.00	0.00	94				
20	99.08	0.92	93				
21	100.00	0.00	111				
22	100.00	0.00	100				

23	100.00	0.00	100			
24	100.00	0.00	103			
25	100.00	0.00	107			
26	100.00	0.00	98			
27	100.00	0.00	102			
28	100.00	0.00	109			
29	100.00	0.00	105			
30	100.00	0.00	98			
31	100.00	0.00	105			
32	99.71	0.29	97			
33	100.00	0.00	102			
34	100.00	0.00	113			
35	100.00	0.00	117			
36	100.00	0.00	101			
37	100.00	0.00	93			
38	100.00	0.00	92			
39	100.00	0.00	99			
40	100.00	0.00	95			
41	100.00	0.00	94			
42	100.00	0.00	101			
43	100.00	0.00	91			
44	100.00	0.00	92			
45	100.00	0.00	82			
46	100.00	0.00	99			
47	100.00	0.00	93			
48	100.00	0.00	91			
49	100.00	0.00	118			
50	100.00	0.00	101			
51	100.00	0.00	108			
52	100.00	0.00	101			
53	100.00	0.00	101			
54	100.00	0.00	99			
55	99.58	0.42	135			
56	100.00	0.00	117			
57	100.00	0.00	98			
58	100.00	0.00	99			
59	100.00	0.00	106			
60	100.00	0.00	98			
61	100.00	0.00	98			
62	100.00	0.00	85			
63	100.00	0.00	106			
64	100.00	0.00	95			
65	100.00	0.00	92			
66	100.00	0.00	99			
67	100.00	0.00	107			
68	100.00	0.00	100			
69	100.00	0.00	97			
70	100.00	0.00	101			
71	100.00	0.00	96			
72	99.46	0.54	96			
73	100.00	0.00	102			
74	100.00	0.00	95			
75	100.00	0.00	99			
76	100.00	0.00	104			
77	100.00	0.00	117			
78	100.00	0.00	102			
79	100.00	0.00	107			
80	100.00	0.00	100			
81	100.00	0.00	100			
82	100.00	0.00	105			
83	99.08	0.92	129			
84	100.00	0.00	105			
85	100.00	0.00	102			

86	100.00	0.00	112				
87	100.00	0.00	99				
88	100.00	0.00	98				
89	100.00	0.00	98				
90	100.00	0.00	100				
91	100.00	0.00	101				

